

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE : 12/04/2006

Paper No.: \_\_\_\_\_

TO SPE OF : ART UNIT 2600 (2642)

SUBJECT : Request for Certificate of Correction on Patent No.: 6,564,051

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:  
**Certificates of Correction Branch – 2900 South Tower ste.9A43A**  
Palm location 7580 - Tel. No. 305-8309

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

\*ok to enter replacement drawing figures as req. in COCIN in Madras?

Thank You For Your Assistance

Ernest C. White, LIE (703) 308-9390x122  
Certificates of Correction Branch

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

Comments:

---

---

---

---

---

Edward F. Urban  
EDWARD F. URBAN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600  
SPE

2618  
Art Unit